

Lubricant Analysis Report

North America: +1-866-341-4382

0	0 1		3	4		
NOR	MAL	ABNC	RMAL	CRITICAL		

Overall report severity based on comments.

Additional Testing

		'
Account Information	Component Information	Sample Information
Account Number: MTU001-0251-0001	Component ID: 536106032 RE	Tracking Number: 24144Q84227
Company Name: THE DIESEL WORKSHOP	Secondary ID: STARBOARD	Lab Number: H-017571
Contact: SPENCER MORRISON	Component Type: DIESEL ENGINE	Lab Location: Houston
Address: 2001 SW 20TH ST.	Manufacturer: Information Requested	Data Analyst: DHP
FORT LAUDERALE, FL US	Model: Information Requested	Sampled: 09-Jan-2025
Phone Number: 954-233-0717	Application: UNKNOWN	Received: <mark>17-Jan-2025</mark>
	Sump Capacity:	Completed: 23-Jan-2025
Filter Information	Miscellaneous Information	Product Information
Filter Type: Information Requested		Product Manufacturer: Information Requested
Micron Rating: 0		Product Name: Information Requested
-		Viscosity Grade: Information Requested
Comments Flagged data does not indicate a	n immediate need for maintenance action. Continu	e to observe the trend and monitor equipment and

fluid conditions. FUEL DILUTION is at a MODERATE LEVEL; FUEL DILUTION possibly caused by excessive idling; In order to properly compare data to the correct standards, please provide COMPONENT MANUFACTURER and MODEL, and the FLUID MANUFACTURER, PRODUCT NAME, and VISCOSITY GRADE. LUBRICANT TIME was not provided for this sample. Please provide missing application and sump information.

	Wear Metals (ppm)									ntamin tals (p		Multi-Source Metals (ppm)					Additive Metals (ppm)							
Sample #	Iron	Chromium	Nickel	Aluminum	Copper	Lead	Tin	Cadmium	Silver	Vanadium	Silicon	Sodium	Potassium	Titanium	Molybdenum	Antimony	Manganese	Lithium	Boron	Magnesium	Calcium	Barium	Phosphorus	Zinc
1	17	0	0	1	1	1	0	0	0	0	6	4	0	0	44	0	0	0	55	573	1770	0	885	969

		Sample	e Inforr	mation				Contaminants				Fluid Properties					
# dumi	ate Sampled	ate Received	. Lube Time	. Unit Time	ube Change	Lube · Added	lter Change	Fuel	Soot	Water	Viscosity 40°C	Viscosity 100°C	a Acid b Number	Base No.	sq Oxidation	y sqe	
ů	<u>م</u>	<u>م</u>	h	h	L	gal	证	%	%	%	cSt	cSt	KOH / g	KOH/g	cm	0.1mm	
1	09-Jan-2025	17-Jan-2025	0	3029	No	0	No	3.8 - GC	<.1	<.1 - FTIR		12.9	0.95	8.87	15	7	

		Particle Count (particles/mL)												
Sample #	opo OSI Based On 4/6/14	mL ^ particles /	ဟ ^ particles / mL	0 ^ particles / mL	particles / 4	Z ^ particles / mL	& K ^ particles / mL	OZ ^ particles / mL	00 ^ particles / mL	Test Method				
1	//													

Comments are advisory only and are based on the sample information provided by the customer being valid. Results related only to the items tested. Missing fluid or component information limits the evaluation. No warranty is expressed or implied. Measurement uncertainty available upon request.