



**1005 W. STATE ROAD 84 #511
FORT LAUDERDALE, FLORIDA 33315
Phone: 954-612-6834**

FILE NUMBER: 25189

PREPARED FOR:

R & R Yacht LLC

DATE:

August 26-28, 2026

3411 Silverside Road

VESSEL NAME:

RISK & REWARD

Wilmington, DE

Roswell, GA 30076



This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

SURVEY REPORT

FILE NUMBER: 25189

GENERAL

HULL IDENTIFICATION NUMBER: QEO11923A404

BUILDER: Crescent

MODEL LENGTH: 120' **CONFIGURATION:** Raised Pilothouse Motor Yacht

YEAR BUILT: 2004 per hull number and per certificate of documentation **MODEL YEAR:** 2004 per hull number

JAMAICA REGISTRY #: JMP20

REGISTERED HAILING PORT: Kingston, Jamaica

REGISTERED OWNER: R & R Yacht LLC

ADDRESS: 3411 Silverside Road, Wilmington, DE

REGISTERED L.O.A.: 35.58m **BEAM:** 7.42m **DEPTH:** 2.11m **DRAFT:** 2.1m

REGISTERED GROSS TONS: 252 [per Jamaica certificate of registry] **REGISTERED NET TONS:** 75

DISPLACEMENT: Approximately 190- lbs.

GENERATOR HOURS:

PORT: 6015 on the remote hour meter

STARBOARD: 6005 on the remote hour meter

REPORTED ENGINE HOURS:

PORT: 2721 on the MTU engine display

STARBOARD: 2697 on the MTU engine display

SURVEY MADE AT: Safe Harbor Rybovich, 4200 N. Flagler Drive, West Palm Beach, Florida

NAVIGATIONAL LIMITS: up to 60 nautical miles from safe harbor

VESSEL PURPOSE[s]: pleasure

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

HULL

BOTTOM: molded fiberglass with core

CONDITION: sound

KEEL: 20" x 3" aft end

STEM: curved

STERN: curved

FRAMES: partitions and bulkheads

FLOOR TIMBERS: partitions and bulkheads

FASTENINGS: reinforced fiberglass

TOPSIDES: molded fiberglass with core

CONDITION: sound

DECK BEAMS: molded fiberglass

DECKS: molded fiberglass with core, teak overlay in aft deck **CONDITION:** sound

SUPERSTRUCTURE: molded fiberglass with core

BULKHEADS: 4 full, 2 partial

BILGE CONDITION: clean

PROPELLERS: 5-bladed 53" x 51.59"

SPARES: none

PROPELLER SHAFTS: 4" stainless steel

BEARINGS [SHAFT]: cutlass

STRUTS: double-arm each side

RUDDER: foil shaped/ stainless steel

STEERING GEAR: Kobelt electric/hydraulic

INTERIOR:

- Vinyl overhead and wall covering
- Carpeted, marble soles
- Cherry trim paneling and cabinetry
- Granite/ Marble counters

MACHINERY

ENGINE MAKE: MTU

ENGINE MODEL #: B1627M01

PORT ENGINE SERIAL #: 5362002451

STARBOARD ENGINE SERIAL #: 5362002453

NO. CYLINDERS: 16

RATED H.P.: 2000

MAXIMUM RATED R.P.M.: 2350

YEAR: original

WHEN OVERHAULED: 2016 W6

ENGINE SURVEY: see RPM Diesel engine report

REDUCTION GEAR: Twin Disc

RATIO: 2.5:1

MODEL #: MG65-98-00DC

PORT SERIAL NUMBER: 9A1788

STARBOARD SERIAL NUMBER: 9A1887

ENGINE BED: fiberglass stringers

PAN UNDER ENGINE: trapped area

ENGINE COOLING SYSTEM: freshwater

VENTILATION: good **BLOWER:** intake and exhaust

FILTER[s]: primary: Racor

EXHAUST LINE: hose connected; stainless steel risers

EXHAUST SILENCER: water collector-type muffler / underwater exhaust

ENGINE ALTERNATOR: 24-volt

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

CONTROLS: MTU electronic

SHAFTLOGS, TYPE: flex

STUFF BOX: dripless seals

WATERMAKER: Watermakers Inc., / Flow Marine

BILGE PUMPS: 5 electric/automatic, electric and hydraulic to compartment manifold, diverters off port and starboard raw water intakes, 3 sump

FRESHWATER PRESSURE SYSTEM: Two 110 VAC

AIR COMPRESSOR: Two 110-volt electric

FIRE FIGHTING & SAFETY EQUIPMENT

PORTABLE EXTINGUISHERS: 24 Dry chemical

INSPECTION DATE: tags October 2025

BUILT-IN SYSTEM: Fm200

INSPECTION DATE: tag October 2025

AUXILIARY FIRE PUMP SYSTEM: 220-volt to three stations

LIFE RAFT: Two Sea Safe 16 person

INSPECTION DUE: August 2027

LIFE RAFT HYDROSTATIC RELEASE: yes

EXPIRATION DATE: February 2029

LIFE JACKETS: 32 Adult type I

LIFE RINGS: 30" USCG Approved

BELL: 12"

HORN: electric/ air

DISCHARGE OF OIL PLAQUE: yes

WASTE DISCHARGE PLAQUE: yes

WASTE MANAGEMENT PLAN: yes

FLARES: Pains Wessex

EXPIRATION DATE: November 2029

E.P.I.R.B: ACR

BATTERY EXPIRATION DATE: October 2031

E.P.I.R.B HYDROSTATIC RELEASE: yes

EXPIRATION DATE: 2027

RULES OF THE ROAD BOOK: yes

FIRST AID KIT: National Marine Medical

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

ELECTRICAL SYSTEM

PORT GENERATOR: Northern Lights

LOCATION: port in the engine room

VENTILATION: good

MODEL #: 4045TF150

SERIAL #: FE404T2368341

KILOWATTS: 55.0

VOLTAGE: 120/240

FREQUENCY: 60 Hz

RPM: 1800

COOLED: freshwater

EXHAUST LINE: hose connected fiberglass muffler

FILTERS: Racor

STARBOARD GENERATOR: Northern Lights

LOCATION: starboard in the engine room

VENTILATION: good

MODEL #: 4045TF150

SERIAL #: PE4045T231688

KILOWATTS: 55.0

VOLTAGE: 120/240

FREQUENCY: 60 Hz

RPM: 1800

COOLED: freshwater

EXHAUST LINE: hose connected fiberglass muffler

FILTERS: primary: Racor

BATTERY CHARGER[S]: Two McCarron 24-volt / Newmar Phase III 24-volt

Xantrex 12-volt

LIGHTING: 24-volt D.C. & 110-volt A.C.

BATTERY INSTALLATION: in covered battery boxes:

- Four 12-volt 8D AGM to engines
- Four 12-volt AGM 8D to house service
- Two 12-volt AGM to generators
- One 12-volt Odyssey AGM to radios

WIRING: cambric, thermoplastic, molded rubber

CONDITION: appears good

SWITCHBOARD: engine room

FUSED: yes

CIRCUIT BREAKER: yes

LIGHTNING ARRESTOR: none

GROUND: negative

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

TANKAGE

FUEL; NUMBER/CAPACITY: 5; diesel approximately 7,477 gallons total

LOCATION[s]: approximately 445 gallons forward; approximately 1462 gallons, 1800, 1200, 1800, gallons forward in the engineroom.

SHAPE: rectangular

MATERIAL[s]: aluminum

SECURED: yes

BONDED: yes

CONDITION[s]: good where accessible

FILLING LINES AND VENTS: hose connected **SECURED:** yes **BONDED:** yes

FUEL OVERFLOW: outboard **FUEL LINES AND CONNECTIONS:** pressure hose

VALVES: approved **LOCATION:** forward in the engine room **ACCESSIBILITY:** good

ADDITIONAL FUEL OR INFLAMMABLES CARRIED: in approved containers / in PWC integral tank

WATER; NUMBER/CAPACITY: 1 approximately 1,234 gallons total

LOCATION[s]: under master stateroom head

SHAPE: rectangular

MATERIAL[s]: aluminum

CONDITION[s]: good where accessible

HOLDING; NUMBER/CAPACITY: 1 approximately 600 gallons / Headhunter Tidal Wave treatment system

LOCATION[s]: under guest staterooms

SHAPE: rectangular

MATERIAL[s]: aluminum

CONDITION[s]: good where accessible

ELECTRONICS

RADAR: Two Furuno

VHF: Icom IC-M506

SATTV: KVH HD7

AUTOPILOT: Simrad AP70

GPS: Garmin / Furuno

PLOTTER PROGRAM: Time Zero

DEPTHSOUNDER: Garmin Starlink

COMPASS: Ritchie magnetic

A.I.S.: Garmin

SEARCHLIGHT: Carlisle Finch

PERSONAL WATERCRAFT

MAKE: Yamaha

MODEL: VX Cruiser

HULL #: YAMA0123L819

Make: Yamaha

Model: VX Cruiser

HULL #: YAMA0245K819

DECK EQUIPMENT

GROUND TACKLE: Two approximately 300-lb anchors with approximately 300' of chain each

WINDLASS: Two Maxwell 4500

CLEATS: stainless steel

SAFETY RAILS: stainless steel

AUDIO/VIDEO

SATTV RECEIVERS: KVH TracVision / DirecTV

STEREOS: Marantz

TELEVISIONS: Samsung / LG

HYDRAULICS

BOW THRUSTER: American Bow Thruster 56 HP

STABILIZERS: ABT-TRAC 440 Zero Speed

DAVIT: Marquipt 2500 lb. Capacity

APPLIANCES

REFRIGERATION: Sub zero / U-line

ICEMAKER: Hoshizaki

STOVETOP: Viking 5-burner electric

OVEN: Miele

DISHWASHER: Miele / Fisher Paykel

MICROWAVE OVEN: Miele

WATER HEATER: Two 50-gallon electric

HOT WATER CIRCULATING PUMP: yes

CLOTHES WASHER/DRYER: Miele / Bosch

WINE COOLER: Sub-Zero

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

AIR CONDITIONING

MANUFACTURER[S]: Flow Marine chilled water

NO. OF COMPRESSORS: Three

RAW WATER COOLING PUMPS: Two

DOCKSIDE RAW WATER OPERATION CAPABILITY: yes

FRESH WATER CIRCULATION PUMPS: One

BTU's: 180,000

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

TRIAL RUN DATA

PORT	RPM	WATER TEMP F	OIL PRESSURE PSI	DRIVE OIL PSI	VOLTS
CRUISE 1	1000	149	89	362	27.3
CRUISE 2	1200	152	91	364	27.3
CRUISE 3	1984	166	97	372	27.3
CRUISE 4	2168	166	92	374	27.3
FULL	2367	168	80	374	27.3

STAR BOARD	RPM	WATER TEMP F	OIL PRESSURE PSI	DRIVE OIL PSI	VOLTS
CRUISE 1	1000	140	103	380	27.5
CRUISE 2	1200	151	90	364	27.5
CRUISE 3	1965	164	108	370	27.3
CRUISE 4	2158	170	101	372	27.5
FULL	2349	177	92	372	27.3

RPM	FUEL BURN [GPH] PORT/STARBOARD		% LOAD PORT/STARBOARD		SPEED [KNOTS]
1000	7	9	23	26	9.84
1200	11	12	25	25	10.1
1984	58	60	68	68	15.2
2168	76	79	80	80	16.5
Full	100	102	100	100	17.6

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

PHOTOGRAPHS

HULL IDENTIFICATION NUMBER



JAMAICA REGISTRY



This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

STERN



This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

EQUIPMENT

BOTTOM

Five underwater lights
Four hull zincs
Port and starboard underwater engine exhaust discharge
16" bow thruster
Stabilizer fin, port and starboard
Stainless steel cutwater on the stem

TOPSIDES

Boarding brackets at port and starboard boarding gates
Stainless steel anchors and anchor pockets, port and starboard
Upper and lower stainless steel rub rails

SWIM PLATFORM

Teak over fiberglass deck
Five steps down from aft deck, port and starboard
Stainless steel handrails on transom and at port and starboard stairwell
Maxwell 2200 electric warping winches (port and starboard) with deck switch
Stainless steel stern cleats, port and starboard
Freshwater washdown, starboard
Locker, port, with two 100-amp shore power inlets
Stainless steel removable rails across the swim platform
Watertight door at transom to crew companionway
HIN: QEO11923A404

HARDTOP

Fiberglass with non-skid coating
Two aft facing floodlights

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

Hailer horn
Television antenna
Two radar scanners
Signal mast with forward navigation light
Anchor light
FLIR camera
Wind speed direction anemometer
KVH TracPhone antenna
Furuno satellite compass antenna
Assorted stick GPS antennas
Carlisle & Finch searchlight
Two fixture anchor light

FLYBRIDGE

Teak over fiberglass deck
Helm station with cover
Mounted helm bench seat and two companion chairs with footrests and covers
Two Detroit Diesel engine displays
MTU electronic engine controls
American Bow Thruster control
Two Garmin displays
IC-M604 VHF radio
ICOM Submersible Plus VHF microphone
Simrad AP70 autopilot
Carlisle & Finch searchlight control
Garmin depth sounder
Garmin knot log
TRAC stabilizer control
Fiberglass hardtop with recessed lights, CCTV camera, Two stereo speakers
Tinted windscreen with stainless steel frame
Jastram rudder order
Jastram rudder angle indicator
Stainless steel steering wheel
Engine start and stop buttons
Wing station, port and starboard, each with MTU single-lever engine controls, jog control, bow thruster control, rudder angle indicator; cover
Sliding door to pilothouse, port forward

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

L-shaped bench seat, port and starboard, with cushions, custom teak tables, deck courtesy lights, and storage

BOAT DECK

Painted non-skid fiberglass deck, aft, teak overlay forward

Stairwell to aft deck, starboard, with hatch

MarQuipt 2500-lb fully articulating davit

Stern light

Flagstaff, aft

Hot tub [starboard] with cover and control panel

Three bar stools

Two Sea Safe 16-person life rafts, inspection due August 2027, hydrostatic release expires February 2029

ACR EPIRB, battery expiration August 2031; hydrostatic release expiration, February 2027

Sun lounge [starboard] with cushions and covers

Custom three panel sun shade

Freshwater washdown with hose

Courtesy lights, port and starboard

Ventilation ducts, port and starboard

Wet bar, with:

- U-line refrigerator
- Molded countertop
- Stainless steel sink
- Faucet
- Pro Fire liquid propane gas grill with two LPG tanks
- Hoshizaki icemaker

DECKS AND SUPERSTRUCTURE

Fiberglass nonskid deck

Three pilothouse windshield wipers

Stainless steel bow rail and stanchions, port and starboard, on bulwark

Boarding gate, port and starboard

Side deck entrance sliding door, port and starboard

Deck courtesy lights, port and starboard

Stainless steel spring bits, two port and two starboard

CCTV camera on port and starboard side decks

Seven overhead lights, port and starboard

New oil fill, starboard

MarQuipt boarding ladder, stowed port

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

Diesel fuel fill, starboard
Triple trumpet horn on flybridge brow
Freshwater fill, port and starboard, forward

FOREDECK

Fiberglass deck with nonskid
Stainless steel bow rail and stanchions with bow flagstaff
Two Maxwell windlasses with capstans and wildcats and pendant controls
Anchor chain washdown, port and starboard
Stainless steel bow cleat [port and starboard] with hawse-eyes
Watertight hatch to chain locker
Bow seating area with cushions, hatch, two courtesy lights, cover for seating
Bosun's Locker with:

- Two shore power circuit breakers
- Two shore power inlets
- Traulsen refrigerator
- Two Traulsen freezer
- Two dry chemical fire extinguishers, tag October 2025
- Chest freezer
- Heat sensor

AFT DECK

Teak over fiberglass deck
Fiberglass overhead with recessed overhead lights, four overhead stereo speakers
Aft seating with cushions and cover
Custom table on hydraulic lift with maple top and cover
Bulwark storage lockers, port
Aluminum gasoline tank, starboard, with transfer pump
Entrance to crew quarters, starboard
Stairwell with teak treads
Built-in wet bar (port forward) with sink with hot/cold water faucet, Scotsman icemaker; storage locker, U-line refrigerator, molded countertop, four stools
30" life ring, port and starboard
Two CCTV cameras
Four teak chairs
Light switch panel
Automatic door switch
Stairwell to aft deck, port and starboard

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

CREW'S QUARTERS

Vinyl sole with carpet overlay
Vinyl overhead
Recessed overhead lights
Overhead stereo speakers
Watertight door to swim platform
Shelved lockers
Bench seat
Samsung LED television
Panasonic telephone intercom
Icom IC-M602 VHF radio
Garmin depth sounder
Holding tank discharge pump switch
Fire alarm pull
Fire system release
Circuit panel

Galley area with:

- Molded countertop
- Stainless steel sink
- Magic Chef microwave oven
- Summit refrigerator
- Miele clothes dryer
- Bosch clothes washer
- Dry chemical fire extinguisher, tag October 2025

BELOW CREW'S QUARTERS MESS

Gray water tank with electric/automatic pump
High water alarm
Bilge pump pickup to engine room bilge manifold
Electric/automatic bilge pump

CAPTAIN'S QUARTERS

Entrance via crew mess

Carpeted sole

Vinyl headliner with recessed lights

Double and single berths with mattress and bedding

Hanging locker with 2-lb. Kidde dry chemical fire extinguisher, tag October 2025

Samsung LED television

Air conditioning control

Carbon monoxide monitor

PORT FORWARD CREW'S QUARTERS

Entrance via crew mess

Carpeted sole

Vinyl headliner with recessed lights

Upper and lower single berths with mattress and bedding

Hanging locker with 2-lb. Kidde dry chemical fire extinguisher, tag October 2025

Air conditioning control

Carbon monoxide monitor

PORT AFT CREW'S QUARTERS

Entrance via crew mess

Carpeted sole

Vinyl headliner with recessed lights

Upper and lower single berths with mattress and bedding

Hanging locker with 2-lb. Kidde dry chemical fire extinguisher, tag February 2020

Air conditioning control

Carbon monoxide monitor

PORT FORWARD CREW'S QUARTERS HEAD

Laminate sole

Vinyl headliner

Vanity with sink

Royal Flush toilet

Access to shared shower stall

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

PORT AFT CREW'S QUARTERS HEAD

Laminate sole
Vinyl headliner
Vanity with sink
Royal Flush toilet
Access to shared shower stall

LAZARETTE

Hold light
Two hydraulic steering actuators
Dripless rudder seals
Autopilot feed-back sensor
Rudder angle feed-back sensor
Underwater light fixtures
Rule electric/automatic bilge pump
Ventilator blower

ENGINE ROOM

Diamond plate deck with carpet overlay
Fluorescent lighting overhead
Three diesel fuel tanks, forward, with sight tubes forward
Two DDEC engine displays
Marine Air air conditioning control
Marine Air chilled water air conditioning compressor control
Fuel transfer pump and manifold
Three compressor Flow Marine chilled water air conditioning system
Flow Marine air conditioning control panel
Four 12-volt 8D AGM batteries to engines
Four 12-volt 8D AGM batteries to generators
Newmar PT 24-20 battery charger to engine batteries
Two McCarron 24-volt charger to generator batteries
Reverse osmosis watermaker
220-volt bilge/fire pump to manifold
Hydraulic bilge/fire pump
Two Headhunter Mach V freshwater pressure pumps
Two CCTV cameras
Electric hydraulic pump to Zero speed stabilizer system

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

ABT oil reservoir
Electric/hydraulic steering system
24-volt electric/automatic bilge pump
Headhunter Tidal Wave black water treatment system
Air conditioning discharge vents
Oil change pump with manifold
Two A.C. air compressors
77-kg Sea-Fire FM200 fire suppression system tag October 2025
ASEA shore power converters
Ships main electrical panel
Port and starboard generator controls

SALON

Carpeted sole
Vinyl overhead with square center feature with recessed overhead lights
Five overhead stereo speakers
Sofa, port
Custom cocktail table
Fixed windows, port and starboard, with custom drapes and black out shades
Samsung LED television on mechanical lift
Two chairs, starboard
Table with lamp

DINING AREA [FORWARD IN SALON]

Carpeted sole
Vinyl overhead
Custom dining table with eight chairs
Architectural recess with overhead recessed lighting and mirror
Built-in lockers, port and starboard, with china storage
Sconce lighting, forward

PORT MAIN DECK- COMPANIONWAY

Marble tiled sole
Mirrored overhead
Four recessed overhead lights
Side deck door
Stairwell to lower companionway

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

HOLD BELOW PILOTHOUSE

KVH TracVision antenna control
Marantz audio receiver
Intellian V-Sat antenna control
APC back up battery
Seven control 4 processors
Two APC back up batteries to A/V equipment
Samsung LED television to flybridge stowed in box
National Marine medical kit
Pains Wessex flare kit, expiration November 2029
Panasonic PBX telephone/intercom
Circuit breaker panels
Badger CO2 fire extinguisher, tag October 2025
12-volt AGM batteries to ships radios
Xantrex 12-volt 10-amp battery charger
Three air conditioning air handlers
Newmar 24-volt – 12-volt D.C. converters
Mircom fire alarm panel
Emergency lighting panel
Marine Air air conditioning control
Heat sensor
CCTV camera
ACR EPIRB battery expiration October 2031
Drager oxygen tank
Viking firefighting bunker gear
Two Sony receivers
Furman power conditioner
Lutron lighting control
Emergency lighting control panel with battery cutoff switch

MAIN DECK COMPANIONWAY – STARBOARD

Marble tiled sole
Two recessed overhead lights
Watertight door to starboard side deck
Circular stairwell to the pilothouse
Four air conditioning controls
Security alarm panel
Shelves with artwork

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

AFT COMPANIONWAY

Marble tiled sole

Fire station

Ten carpeted steps courtesy lights in steps, custom handrail

Laundry center with Bosch clothes washer, Miele clothes dryer

Vinyl overhead

Recessed overhead lights

GYM

Marble tile sole with area rug

Vinyl overhead with recessed lighting

Heat sensor

Samsung television

Peloton

Two stereo speakers

MASTER STATEROOM

Carpeted sole

Vinyl overhead

Five overhead stereo speakers

Recessed overhead lights

Eight-drawer dresser, with custom countertop

Cedar-lined walk-in locker (starboard) with full length mirror on the door, overhead lights

Access to stabilizer actuator

King size berth, centerline, with mattress, bedspread, pillows and linens

Recessed feature above bed with indirect lights

Sofa, port

Access to head, port

Desk/vanity, starboard

Marantz A/V receiver

Samsung Blu Ray player

Marine Air air conditioning control

LG television

CO alarm

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

MASTER STATEROOM HEADS

Marble tile sole

Mirrored feature in the overhead

110-volt outlets

Marble vanity top with two sinks, custom hot/cold water faucets

Royal Flush marine toilet

Linen locker

Mirrored doors to medicine locker with dead light, port and starboard

Mirrored panel on forward bulkhead

Shower with marble tile sole and surround

Two handheld showerheads with adjustable wall mount 2 horizontal steam nozzles, diverter valve, mixing valve and soap rack

PORT STATEROOM

Carpeted sole

Vinyl overhead panels

Recessed overhead light fixtures

Two recessed overhead stereo speakers

Three recessed overhead light fixtures in aft soffit

Access to stabilizer actuator, port aft

Upholstered and panel on aft bulkhead

Queen island berth with four drawers beneath; throw pillows; indirect rope lighting

Nightstand, port and starboard, each with marble counter and three drawers

Marine Air air conditioning control

Porthole in alcove with blinds

Built in bureau, port, with eight drawers

Samsung LED television

Hanging locker with 1A10BC dry chemical fire extinguisher, tag October 2025

Entrance to head, port forward

Four-drawer dresser, forward

Smoke alarm

PORT STATEROOM HEAD

Marble tiled sole with contrasting border

Mirrored feature in the overhead

110-volt outlets

Hamper

Two recessed overhead light fixtures

Blower

Vanity with marble top, porcelain sink, custom hot and cold water faucet, storage below

Soffit over vanity with four overhead lights

Royal Flush head by Head Hunter

Stall shower enclosure, inboard, with frameless glass door, overhead light, hand-held showerhead on hose with wall mount, hot/cold water faucet, temperature control knob

Portholes outboard in alcove with blinds

Access to bilge

STARBOARD STATEROOM

Carpeted sole

Vinyl overhead panels

Recessed overhead lights

Two recessed overhead stereo speakers

Single berth, inboard and outboard, each with matching bedspread; two throw pillows each

Pullman berth

Nightstand with three drawers

Marine Air air conditioning control

Overhead reading lamp to each berth

Porthole in alcove

Sony Blu Ray player

Samsung LED television

Hanging locker with overhead light and 10BC dry chemical fire extinguisher, tag October 2025

Entrance to head, outboard forward

Smoke alarm

STARBOARD STATEROOM HEAD

Marble tiled sole with contrasting border

Mirrored feature in the overhead

110-volt outlets

Hamper

Two recessed overhead light fixtures

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

Blower

Vanity with marble top, porcelain sink, custom hot and cold water faucet, storage below

Soffit over vanity with four overhead lights

Royal Flush head by Head Hunter

Stall shower enclosure, inboard, with frameless glass door, overhead light, hand-held showerhead on hose with wall mount, hot/cold water faucet, temperature control knob

Deadlight, outboard in alcove with blinds

PILOTHOUSE

Carpeted sole

Vinyl overhead panels with recessed lights

Overhead lights

Smoke detector

Two overhead stereo speakers

MTU engine display

DDEC display

Stidd helm chair

Custom steering wheel

Kobelt rudder angle indicator

Magnetic compass

MTU single-lever engine controls

Engine start and stop switches

Exalto wiper/washer switches

American Bow thruster control

Jog steering control

ICOM IC-M506 VHF radio

Garmin depth sounder

ABT/TRAC stabilizer control

Simrad AP70 autopilot

Emergency engine controls

Two Marine Air air conditioning control panels

Four LCD monitors

Furuno radar control

Carlisle & Finch searchlight control

Garmin 7610 display

Garmin anemometer

Garmin knot log

Engine switch panel

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

Steering system control switches

Fire alarm system control

Chart drawers

Seating, starboard aft, with:

- Curved bench seating
- Dual pedestal-mounted table
- Mirrored panels on aft bulkhead

Five steps to flybridge, aft port with courtesy lights

Six-step stairway to foyer (starboard) each with courtesy lights and handrail

FORWARD COMPANIONWAY

Six carpeted steps from dinette, starboard

Courtesy lights at steps

Vinyl overhead

Overhead light

GALLEY/DINETTE

Marble tiled sole

Vinyl overhead

Recessed overhead lights

Two recessed overhead speakers

Custom counters

Sub-Zero side-by-side refrigerator/freezer

Viking 5-burner cook top

Miele Profile microwave

Stainless steel sink with faucet

Miele dishwasher

Fisher Paykel dishwasher

U-shaped bench seating, mounted table with granite table top

Two chairs

Built-in shelved lockers, forward

Sub-Zero wine cooler

Fixed windows, three port and three starboard, with custom shades

Miele exhaust hood

Samsung LED television

Miele espresso machine

Marine Air air conditioning control

Entrance to forward companionway stairwell

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

VIP STATEROOM

Carpeted sole

Vinyl overhead

Recessed overhead lights

Two recessed overhead stereo speakers

Island queen berth (centerline forward) with drawer and storage beneath

Walk-in closet (aft) with overhead light and 1A10BC dry chemical fire extinguisher, tag October 2025

Two Type I life jackets

Escape hatch to master stateroom closet

Eight drawer bureau, port and starboard

Storage locker and drawers, port and starboard

Samsung LED television

BOW STATEROOM HEAD

Marble tiled sole

Mirrored overhead feature

Three overhead lights

Royal Flush head by Headhunter

Vanity with marble counter and backsplash, custom single bowl sink with abalone back splash with custom hot and cold water faucets; storage below the counter

Stall shower with glass door, overhead light, hand-held showerhead on hose with wall mount, hot/cold water faucet, water temperature, mixing knob

MAIN DECK HEAD

Marble sole

Mirrored overhead

Recessed overhead lights

Custom vanity with undermount sink

Gold tone faucets

Royal Flush toilet

This report is issued subject to the condition that it is understood and agreed that neither this office nor any surveyor nor any employee is, under any circumstance whatsoever, to be held responsible in any way for any error in judgment, default or negligence nor for any inaccuracy, omission, misrepresentation or misstatement in this report, and that the use of this report shall be construed to be an acceptance of the foregoing conditions.

BILGE BELOW MASTER STATEROOM CLOSET

Two hold lights

Two freshwater accumulator tanks

Thermasol steam machine to master stateroom shower

Ariston water heater

BILGE BELOW MASTER STATEROOM AND GUEST

Hold lights

Aluminum fuel tank forward with 455 gallons

Fiberglass black water tank

Rule electric/automatic bilge pump

Depth transducers

Fiberglass shower sump with automatic discharge pump

Aluminum diesel fuel tank, aft, approximately 1,462 gallons

Hot water circulation pump

Headhunter OZ-1 ozone generator

BOW THRUSTER HOLD

Hold lights

Bow thruster

Rule electric/automatic bilge pump

Freshwater tank sight tube

Thermasol steam machine
